


# BA British Association



$\phi$  Diametro preforo  
 P Passo del filetto  
 Spp Filetti per pollice

$D_m$  Diametro medio  
 D Diametro nominale  
 $\alpha$  Angolo del filetto

BA British Association

$\alpha = 47,5^\circ$

BA	D	P	Spp	$D_m$	$\phi$
14	1,00	0,23	110,4	0,860	0,75
13	1,20	0,25	101,6	1,050	0,95
12	1,30	0,28	90,71	1,130	1
11	1,50	0,31	81,93	1,315	1,2
10	1,70	0,35	72,57	1,490	1,35
9	1,90	0,39	65,12	1,665	1,5
8	2,20	0,43	59,07	1,940	1,8
7	2,50	0,48	52,92	2,210	2
6	2,80	0,53	47,92	2,480	2,3
5	3,20	0,59	43,05	2,845	2,6
4	3,60	0,66	38,48	3,205	2,95
3	4,10	0,73	34,79	3,660	3,4
2	4,70	0,81	31,35	4,215	3,9
1	5,30	0,90	28,22	4,760	4,4
0	6	1	25,4	5,400	5