


## BSP/G Gas cilindrica



$\emptyset$  Diametro preforo  
 P Passo del filetto  
 Spp Filetti per pollice

Dm Diametro medio  
 D Diametro nominale  
 $\alpha$  Angolo del filetto

### BSP/G Gas Cilindrica

$\alpha = 55^\circ$

G	D	P	Spp	Dm	$\emptyset$
1/8"	9,728	0,907	28	9,147	8,7
1/4"	13,157	1,337	19	12,301	11,8
3/8"	16,662	1,337	19	15,806	15,3
1/2"	20,955	1,814	14	19,793	19
5/8"	22,911	1,814	14	21,749	21
3/4"	26,441	1,814	14	25,279	24,5
7/8"	30,201	1,814	14	29,039	28,25
1"	33,249	2,309	11	31,770	30,75
1 1/8"	37,897	2,309	11	36,418	35,5
1 1/4"	41,910	2,309	11	40,431	39,5
1 3/8"	44,323	2,309	11	42,844	41,5
1 1/2"	47,803	2,309	11	46,324	45
1 3/4"	53,746	2,309	11	52,267	51
2"	59,614	2,309	11	58,135	57
2 1/4"	65,710	2,309	11	64,231	63
2 1/2"	75,184	2,309	11	73,705	72,5
2 3/4"	81,534	2,309	11	80,055	79
3"	87,884	2,309	11	86,405	85,5
3 1/4"	93,980	2,309	11	92,501	91,5
3 1/2"	100,330	2,309	11	98,851	97,75
3 3/4"	106,680	2,309	11	105,201	104
4"	113,030	2,309	11	111,551	110,5
4 1/2"	125,730	2,309	11	124,251	123
5"	138,430	2,309	11	136,951	136
5 1/2"	151,130	2,309	11	149,651	148,5
6"	163,830	2,309	11	162,351	161,5